

caramba

# PROFESSIONAL LINE

Lubrication | Maintenance | Cleaning | Skin Protection





# Caramba - Can you tell the difference?

Caramba is not just about chemistry. It's about taking action. About solving problems. About making things better.

We develop products for people who don't talk for long, but just get started. For professionals who ensure every day that machines run, systems function and vehicles shine. For everyone who says, "It can't be done?" Yes, it can.

Our product range is designed for the real tasks of everyday life - whether cleaning, lubricating, maintaining or protecting. For us, it's not just the result that counts, but also the feeling when using it: clear, simple, effective.

Caramba impresses - with renewed energy, a clear stance and the ambition to deliver the best solution for your job.

We believe in products that work. And in a brand that delivers on its promises.

**Caramba - Make it like new!**

## Table of Contents

<b>Rust Removal, Oiling &amp; Lubrication</b>	4	<b>Cleaning &amp; Care</b>	36
High Performance Rust Remover Rasant	6	Intensive Magic Wonder Instant Shine	38
Active Ice Rust Remover	6	Active Rim Cleaner	38
High Performance Graphite Oil	7	Intensive Stainless Steel Cleaner	38
Intensive Rust Remover MoS <sub>2</sub>	7	Intensive Glass Cleaning Foam	38
High Performance Injector Special Solvent	7	Active Foam Cleaner	39
Super Multi-function Spray	8	Intensive Cockpit Care Silicone-free	39
High Performance Silicone Spray	8	Intensive Cockpit Care With Silicone	39
High Performance Universal Spray H1	8	Overview Cleaners & Care Products	40
High Performance Fine Mechanics Oil	8		
High Performance PTFE Spray	9	<b>Special Cleaners</b>	42
High Performance Drilling And Cutting Oil	9	Active Oil Stain Remover	43
High Performance Drilling And Cutting Oil Foam	9	High Performance Special Solvent	43
Overview Lubricants	10	High Performance Adhesive & Sealant Remover	43
Overview Rust Removers	12		
		<b>Industrial Cleaners</b>	44
<b>Repair &amp; Maintenance</b>	14	Intensive Tile And Hall Cleaner / Limescale Remover	46
High Performance White Spray Grease	16	Findusin Wash Bay Cleaner	46
Lubricating Grease With PTFE	16	Rak 2000	47
High Performance Ceramic Paste	16	Raccoon 111	47
High Performance Adhesive Lubricant	17	Intensive All-Purpose Cleaner	47
High Performance Silicone Spray Grease	17	Industrial Combination Cleaner	47
High Performance Copper Spray	17	Intensive Workshop Cleaner	48
High Performance Copper Paste	17	Intensive Machine And Parts Cleaner	48
High Performance Brake Service Spray	18	Multi 2000	49
High Performance Throttle Valve And Intake Cleaner	18	TG 22	49
High Performance Contact Spray	19	Cleanmat	49
High Performance Battery Grease	19	Cleanmat Forte	49
High Performance Fitting & Locking Cylinder Spray	19	Glass Cleaner	50
High Performance Engine & Housing Sealant Red	20	GSM Rinse Aid	50
High Performance Engine Sealant Black	20	Tegeblitz Super	50
High Performance Wire Rope And Gear Grease	21	GSM Cleaner, Chlorine-free	51
High Performance V-belt Spray	21	PE Cleaner	51
High Performance Chain Spray	21	Betonol 100	51
High Performance Assembly And Lubricating Agent	22	TG 540 Smoke Resin Remover	51
Active Leak Detection Spray	22	Overview Industrial Cleaners	52
Intensive Cold Spray	23		
High Performance Weld Protection	23	<b>Handcare</b>	56
Overview Spray Greases	24	Hand Clean Medium	57
		Hand Clean Strong	57
<b>Corrosion Protection</b>	26	Hand Clean Soap	57
High Performance Anti-Corrosive Primer	28	Hand Clean Extra Strong	57
High Performance Primer, Light Grey	28	Soft Bottle Dispenser 1L & 2L	58
High Performance Corrosion Protection Wax	29	Pump Dispenser For 3L Cans	59
High Performance Zinc Spray Light Aluminium	29	Pump Dispenser For 10L Buckets	59
High Performance Zinc Spray Matte Grey	29		
		<b>Accessories</b>	60
<b>Technical Cleaning</b>	30	Pouring Tap For Plastic Canisters	61
High Performance Industrial Cleaner Containing Acetone	32	Pouring Tap For Metal Drums	61
Intensive Citrus Cleaner	32	Pump Sprayer 1 Litre	61
Intensive Cold Cleaner	32		
Intensive Surface Cleaner	33	<b>Caramba Professional Line</b>	62
Intensive Brake Cleaner	33		
High Performance Electronics Cleaner	33	<b>Index A-Z</b>	63
Intensive Compressed Air Spray	33		
Overview Technical Cleaners	34		

# Rust Removal, Oiling & Lubrication



## When things get stuck, Caramba is the solution.

Stuck screws, stiff components, blocked connections? For true professionals, this is no reason to give up – but rather the moment to bring Caramba into play.

Our specialist products for dissolving, lubricating and protecting are made for demanding conditions: for use directly on the vehicle, in the workshop or construction site or in manufacturing. They bring movement back where everything is stuck – quickly, reliably and economically.

With our products, makers rely on top quality and smart solutions: for smooth processes, durable technology and clean results. Whether you're an all-rounder or a specialist – every product is ready when you are.

### Active Ice Rust Remover

Fast as lightning. Caramba Ice Rust Remover uses a cold shock effect to create micro-fine cracks in the rust structure. This allows the active ingredient to penetrate deeply – for a solution in record time. Perfect for anyone in a hurry.

- Cold shock down to -35 °C
- With PTFE for gentle lubrication
- Dissolves even stubborn rust bonds



### Super Multifunctional Spray

The original. In use for generations. If any product deserves the title of “all-rounder”, it's this one. Caramba Super is a rust remover, lubricant, Contact Spray, cleaner and corrosion protection in one. Tried and tested, popular, indispensable.

- Ideal for care and maintenance
- Reliably displaces moisture
- Suitable for many applications



## High Performance Rust Remover Rasant

High performance rust remover with excellent penetrating properties.

### Areas of application

- As the first choice for rusted connections, it reliably ensures that everything gets back on track.

### Special characteristics

- Extremely fast rust removal
- Very good penetration ability
- Effective against adhesive residue, encrusted dirt and resin deposits

Silicone-free

Creeping properties



Lubricity



Moisture displacement



Rust-removing



Corrosion protection



500 ml | Packaging Unit: 6 | Art. No. 6007081  
5 l | Packaging Unit: 2 | Art. No. 6007051



## Active Ice Rust Remover

Fast-acting rust remover through cold shock.

### Areas of application

- Our strongest rust remover dissolves even the most stubborn rusted connections thanks to shock freezing.

### Special characteristics

- Shock freezing down to -35 °C
- The cold shock creates micro-fine cracks in the rust structure, allowing the active ingredient to penetrate faster and deeper.
- With sliding agents for material-friendly lubrication

Silicone-free

Creeping properties



Lubricity



Moisture displacement



Rust-removing



Corrosion protection



500 ml | Packaging Unit: 6 | Art. No. 6610001



## High Performance Graphite Oil

With graphite for extreme challenges.

### Areas of application

- This multi-purpose oil has particular strengths in its lubricating properties under high temperatures and in humid environments. This is ensured by the graphite content.

### Special characteristics

- Good lubricity
- Ideal lubrication for humid atmospheres
- Higher lubrication performance of graphite with increased temperature
- Electrically conductive

Silicone-free

Creeping properties



Lubricity



Moisture displacement



Rust-removing



Corrosion protection



Temperature resistant  
-30 °C to +450 °C

500 ml | Packaging Unit: 6 | Art. No. 6003071  
5 l | Packaging Unit: 2 | Art. No. 660450



## Intensive Rust Remover MoS<sub>2</sub>

Removes rust, provides lasting protection and lubricates reliably.

### Areas of application

- Universal rust remover. Ideal for screw connections, nuts and guides.

### Special characteristics

- Effectively and immediately removes stubborn rust
- The MoS<sub>2</sub> content provides reliable protection against wear and corrosion
- Excellent lubrication for moving parts
- Suitable for ultra-high vacuum

Silicone-free

Creeping properties



Lubricity



Moisture displacement



Rust-removing



Corrosion protection



Temperature resistant  
-30 °C to +450 °C

500 ml | Packaging Unit: 6 | Art. No. 6002081  
5 l | Packaging Unit: 2 | Art. No. 60028847



## High Performance Injector Special Solvent

This specialised helper combines cold shock and high-quality lubricants for easy removal.

### Areas of application

- Special Solvent for stuck fuel injectors and injectors in engines.

### Special characteristics

- Cold shock down to -35 °C
- Rapid and deep penetration of the active ingredient
- Good gliding properties
- Effectively loosens and removes dirt crusts, oil residues and resinous deposits.

Silicone-free

Creeping properties



Lubricity



Moisture displacement



Rust-removing



Corrosion protection



500 ml | Packaging Unit: 6 | Art. No. 6610050



## Super Multi-function Spray

If it has to be only one, then this is it. Our all-rounder.

### Areas of application

- One spray for everything: dissolves, protects, lubricates, cleans.

### Special characteristics

- Excellent lubricating and creeping properties
- Dissolves rust and reliably protects against corrosion
- Displaces moisture and prevents leakage currents
- Cleans and cares for metal and contact surfaces
- Available with dual spray head

Silicone-free

### Creeping properties



### Rust-removing



### Lubricity



### Corrosion protection



### Moisture displacement



### Temperature resistant

-30 °C to +450 °C

500 ml	Packaging Unit: 6	Art. No. 6612021
500 ml	Packaging Unit: 6	(with dual spray head)
5 l	Packaging Unit: 2	Art. No. 6612011
200 l	Packaging Unit: 1	Art. No. 6000410
		Art. No. 600059



## High Performance Silicone Spray

Versatile silicone-based lubricant and care product.

### Areas of application

- This multi-talented product makes stiff or squeaky connections move smoothly again and, through its conditioning effect, ensures value retention and longevity.

### Special characteristics

- For metal, rubber, plastics
- High water resistance, prevents unwanted icing
- Approval for the food processing industry (NSF H2)
- Available with dual spray head



### Creeping properties



### Rust-removing



### Lubricity



### Corrosion protection



### Moisture displacement



### Temperature resistant

-30 °C to +200 °C

500 ml	Packaging Unit: 6	Art. No. 6103251
500 ml	Packaging Unit: 6	(with dual spray head)
		Art. No. 6103051



## High Performance PTFE Spray

Universal synthetic-based lubricant and protective agent.

### Areas of application

- This means it works even under pressure, cold and heat – ideal for sliding rollers, bolts, bearings and seals that need to remain reliably mobile under stressful conditions.

### Special characteristics

- Very good lubrication properties at high pressure and extreme temperatures
- Chemically resistant
- Non-electrically conductive
- PTFE content

Silicone-free

### Creeping properties



### Rust-removing



### Lubricity



### Corrosion protection



### Moisture displacement



### Temperature resistant

-30 °C to +250 °C

500 ml	Packaging Unit: 6	Art. No. 60278505
--------	-------------------	-------------------



## High Performance Universal Spray H1

The universal spray with NSF approval.

### Areas of application

- This all-rounder is convincing as a fine lubricating oil for the professional care of tools and parts.

### Special characteristics

- Extra fine lubricating oil
- Water-repellent and protects against corrosion
- Removes oil and grease contaminants
- Maintains tools and metal parts without solids
- Approval for the food processing industry (NSF H1)



Silicone-free

### Creeping properties



### Rust-removing



### Lubricity



### Corrosion protection



### Moisture displacement



### Temperature resistant

-10 °C to +150 °C

500 ml	Packaging Unit: 6	Art. No. 622105
--------	-------------------	-----------------



## NEW High Performance Fine Mechanics Oil

Highly penetrating for the finest lubrications.

### Areas of application

- Suitable for high-quality precision mechanics.

### Special characteristics

- Cleans, lubricates and protects
- Reliably removes rust and displaces moisture
- With additional spray tube for precise work
- Resin-free, silicone-free and acid-free – gentle on materials and versatile in its applications
- Effective corrosion protection for metal and contact surfaces

Silicone-free

### Creeping properties



### Rust-removing



### Lubricity



### Corrosion protection



### Moisture displacement



### Temperature resistant

-60 °C to +120 °C

500 ml	Packaging Unit: 6	Art. No. 647950
--------	-------------------	-----------------



## High Performance Drilling And Cutting Oil

Cools and lubricates during machining, drilling, cutting, turning and forming. Surface finish and cutting speed are significantly improved.

### Areas of application

- High-quality cutting oil for general to medium-duty machining in metalworking.

### Special characteristics

- For alloyed and unalloyed steel, cast iron, chromium-nickel alloys, copper, titanium, manganese, aluminium and their alloys.
- Readily biodegradable
- Mineral oil-free and chlorine-free
- Electrically conductive

Silicone-free

500 ml	Packaging Unit: 6	Art. No. 61730621
200 l	Packaging Unit: 1	Art. No. 81007200



## High Performance Drilling And Cutting Oil Foam

With reliable adhesion and a powerful combination of active ingredients. Stable foam as a professional base for tool-friendly and precise drilling, cutting and milling.

### Areas of application

- High-quality cutting oil foam for metalworking.

### Special characteristics

- Adhesion-stable foam
- For alloyed and unalloyed steel,
- Cast iron, chromium-nickel alloys, copper, aluminium and their alloys
- Mineral oil-free and sulphur-free
- Washable with water

Silicone-free

500 ml	Packaging Unit: 6	Art. No. 617308
--------	-------------------	-----------------

Rust Removal, Oiling & Lubrication

Repair & Maintenance

Corrosion Protection

Technical Cleaning

Cleaning & Care

Special Cleaners

Industrial Cleaners

Handcare

Accessories


# Overview Lubricants

Everything at a glance: Our lubricants compared.

Temperature, pressure, environment – every lubrication point has different requirements. Our overview helps you understand which Caramba lubricant is most effective in each situation. For permanently protected, moving parts – clear, direct, practical.



	<b>Super Multifunctional Spray</b> Art. No. 6612011	<b>Silicone Spray</b> Art. No. 6103051	<b>Universal Spray H1</b> Art. No. 622105	<b>PTFE Spray</b> Art. No. 60278505	<b>Fine Mechanics Oil</b> Art. No. 647950	<b>Drilling And Cutting Oil</b> Art. No. 61730621	<b>Drilling And Cutting Oil Foam</b> Art. No. 617308	<b>Injector Special Solvent</b> Art. No. 6610050
<b>Application area</b>	Lubricants, rust removers, cleaners and corrosion protection	Lubrication of metal, plastic and rubber	Lubrication, rust removers, corrosion protection in the food industry	Lubrication under high pressure and extreme temperatures	Lubrication of precision mechanisms	Machining, drilling, cutting, turning, forming	Drilling, cutting, milling and threading	Cleaning stuck injectors and injection nozzles.
<b>Material compatibility</b>	Corrosion protection, rust remover, no solids, silicone-free	Metal, plastic, rubber, food processing industry	NSF H1 approved for the food industry	Many metals, non-electrically conductive, resistant to many chemicals	Plastics, elastomers, paints	Alloyed and unalloyed steels, cast iron, titanium, aluminium, chromium-nickel, manganese, copper	Ferrous and non-ferrous metals, steel, cast iron, copper, chromium-nickel alloys	Rust, moisture, PTFE for gliding performance
<b>Viscosity / Other properties</b>	VKA value 2800 N	-	VKA value 1200-1300 N	VKA value 1600 N	Highly penetrative	Kin. Viscosity 16 mm <sup>2</sup> /s	Adhesion-stable foam	-
<b>Colour</b>	Yellowish-brown liquid	colourless	Clear, bright liquid	colourless clear	colourless transparent	Light yellow liquid	Yellowish liquid	Colourless, cloudy liquid
<b>Odour</b>	Specific	Petrol-like, neutral after venting	Neutral, mild	Solvent-like	Mineral-based	Mild	Technically	Characteristic
<b>Density at 20 °C</b>	0.827 to 0.847 g/cm <sup>3</sup>	0.69 g/cm <sup>3</sup>	0.787 to 0.803 g/ml	0.745 g/cm <sup>3</sup>	0.80 g/cm <sup>3</sup>	0.90 g/cm <sup>3</sup>	0.965 g/ml	0.780 to 0.830 g/ml
<b>Temperature range</b>	-30 °C to +150 °C	-30 °C to +200 °C	-	-30 °C to +250 °C	-60 °C to +120 °C	>175 °C	-	>65 °C



Rust Removal,  
Oiling & Lubrication

Repair &  
Maintenance

Corrosion  
Protection

Technical  
Cleaning

Cleaning  
& Care

Special Cleaners

Industrial Cleaners


Handcare

Accessories

# Overview Rust Removers

**Everything at a glance: Our rust removers compared.**

Whether fast with cold shock, particularly penetrating or as a true all-rounder – our rust removers are made for a wide variety of applications. This overview helps you find the right product for your task at a glance. Clearly structured, easily comparable, ready for immediate use.



	<b>Ice Rust Remover</b> Art. No. 6610001	<b>Rapid Rust Remover</b> Art. No. 6007081	<b>Rust Remover MoS<sub>2</sub></b> Art. No. 6002081	<b>Graphite Oil</b> Art. No. 6003071	<b>Super Multifunctional Spray</b> Art. No. 6612011
<b>Application area</b>	Rapid removal of rust, dirt crusts, oil residues, resinous deposits and adhesive residues	Fast rust loosening, cleaning agent for dirt, oil residues and adhesive residues	Lubricating and penetrating oil, rust remover for heavy-duty connections	Rust remover, lubricant, corrosion protection and cleaner	Lubrication, rust remover, Contact Spray, corrosion protection, metal care
<b>Special characteristics</b>	Cold shock effect down to -35 °C, PTFE particles for lubrication, fast rust loosening, acid and silicone free	Extremely good penetrating properties, silicone-free, high efficiency in fast rust removal methods.	MoS <sub>2</sub> solid content for dry and emergency lubrication, also for ultra-high vacuum, high pressure resistance range	Drastic improvement in lubrication performance at high temperatures, moisture-resistant, silicone-free	High lubrication and corrosion protection effect, silicone-free, moisture repellent
<b>VKA value</b>	-	-	1200 N	1200 N	2800 N
<b>Colour</b>	Colourless, slightly opaque	Pale yellow-brown	Grey-green dispersion	Greyish-black dispersion	Yellowish-brown liquid
<b>Odour</b>	Characteristic	Product-specific	Oily, industrial	Oily, technical	Specific
<b>Temperature range</b>	Cold shock effect down to -35 °C	-30 °C to +150 °C	-30 °C to +450 °C	-30 °C to +450 °C	-30 °C to +150 °C
<b>Rust-removing power</b>	<b>Very strong</b>	<b>Very strong</b>	<b>Strong</b>	<b>Good</b>	<b>Good</b>

# Repair & Maintenance



## Ensure functionality and optimise processes.

When machines, systems or vehicles have a long service life or simply need to deliver peak performance, professional maintenance is essential. With Caramba's high performance products, you're ideally prepared – for less downtime, longer service life and efficient operation. Our formulas deliver what your commitment promises.

### High Performance Fitting & Locking Cylinder Spray

Reliable protection, even under heavy loads. Caramba Fitting & Locking Cylinder Spray lubricates precisely and sustainably displaces moisture. This ensures that lock cylinders, fittings and other moving components are reliably protected from corrosion and remain functional in the long term. Thanks to its excellent penetrating and adhesive properties, the spray reaches even the finest gaps – ideal for permanently reducing friction, wear and squeaking noises.

- Effective moisture displacement
- Long-lasting corrosion protection
- Excellent creeping and adhesion properties
- Reliably reduces friction & wear



### High Performance Wire Rope And Gear Grease

When heavy loads run smoothly. Caramba's graphite-containing special grease ensures optimal lubrication even under the highest loads – up to +450 °C. It protects against wear, prevents surface welding and thus ensures reliable lubrication when it matters most.

- Graphite-containing high-pressure grease for extreme loads
- Emergency lubrication up to +450 °C
- Salt and splash-resistant
- Resistant to mild acids and alkalis





## High Performance White Spray Grease

Lubricant and corrosion protection in one.


### Areas of application

- Instantly see what's lubricated: this versatile lubricant for heavily stressed parts such as linkages, ball bearings, chains and similar components is also coloured white.

### Special characteristics

- Ideal for visual inspection thanks to its white colour
- Extremely fling-resistant and water-resistant
- PTFE content

Silicone-free



500 ml | Packaging Unit: 6 | Art. No. 6071851



## High Performance Lubricating Grease With PTFE

Always reliable thanks to excellent emergency running properties.

### Areas of application


- The lubricating grease is extremely penetrating and pressure-resistant and ideally suited for the maintenance of complex machines with continuous operation.

### Special characteristics

- Excellent emergency running characteristics
- Resistant to chemicals and salt water
- With PTFE content, highly lubricating
- Approval for the food processing industry (NSF H2)



Silicone-free



500 ml | Packaging Unit: 6 | Art. No. 64181601



## High Performance Adhesive Lubricant


Extra Adhesive Lubricant.

### Areas of application

- For demanding tribological tasks: the ideal lubricant for wire ropes, gears, linkages, rollers, joints, hinges, guides and more.

### Special characteristics

- Highly Adhesive Lubricant for parts exposed to high pressures, shocks, etc.



500 ml | Packaging Unit: 6 | Art. No. 64190501



## High Performance Silicone Spray Grease


Adhesive Lubricant and protective agent.

### Areas of application

- Pure versatility: This professional spray grease lubricates roller bearings, slide rails, etc. It is water-repellent and highly effective in the maintenance of electrical switches.

### Special characteristics

- For metal, plastic and rubber
- With high silicone content
- Approval for the food processing industry (NSF H1)



500 ml | Packaging Unit: 6 | Art. No. 6074001



## High Performance Ceramic Paste


This special paste keeps highly stressed metallic connections moving freely, lubricates, separates and protects.

### Areas of application

- Universally applicable assembly and anti-seize paste.

### Special characteristics

- Prevents cold welding, seizing, corrosion and wear wear
- Suitable for metallic components made of stainless steel, zinc, aluminium, copper, etc.
- Extremely adhesive and fling-resistant
- Hot and cold water resistant
- Metal-free
- Non-electrically conductive



200 ml | Packaging Unit: 12 | Art. No. 6905061



## High Performance Copper Spray


The strong assembly lubrication – effective even in hot conditions. It makes work easier and protects components from assembly damage such as breaking.

### Areas of application

- High-temperature resistant protective and sliding coatings on pipe, flange, exhaust, combustion chamber screw connections, etc.

### Special characteristics

- Protection against corrosion, burning on and cold welding
- Makes installation and removal easier
- Acid, alkali and salt water resistant



500 ml | Packaging Unit: 6 | Art. No. 60268505



## High Performance Copper Paste


Anti-seize and assembly paste for professionals. For highly stressed components – from screw connections to gears and turbines to cylinder heads.

### Areas of application

- High-temperature resistant protective and sliding coatings for pipe, flange, exhaust, combustion chamber screw connections, etc.

### Special characteristics

- Protection against corrosion, burning on & cold welding
- Simplifies installation and removal
- Resistant to acids, alkalis & salt water



200 ml | Packaging Unit: 12 | Art. No. 60268176



## High Performance Brake Service Spray

This spray is the professional remedy for squeaky brakes and it also effectively protects against corrosion.

### Areas of application

- Special lubricant for brake maintenance.

### Special characteristics

- Suitable for ABS brakes and ESP
- Non-drip and non-conductive
- Permanently splash-proof and saltwater resistant
- Metal-free

#### Creeping properties



#### Lubricity



#### Moisture displacement



#### Rust-removing



#### Corrosion protection



#### Temperature resistant

-30 °C to +1400 °C

500 ml | Packaging Unit: 6 | Art. No. 60158605



## High Performance Throttle Valve And Intake Cleaner

Highly efficient cleaning of hard-to-access engine areas maximises performance and emission values.

### Areas of application

- Cleans injectors, intake systems, throttle bodies and valves.

### Special characteristics

- Dissolves coked residues and resinous deposits
- Improves emissions and prevents power loss
- Suitable for petrol and diesel engines
- With a separate spray probe, it can also reach hard-to-reach areas.

500 ml | Packaging Unit: 6 | Art. No. 609705  
Probe Art. No. 683006



## High performance Contact Spray

On ignition distributors, cables, plugs and spark plugs: The spray ensures reliable contact with its strong moisture displacement.

### Areas of application

- Troubleshooting moisture-related electrical malfunctions.

### Special characteristics

- Sustainable cleaning
- Moisture-displacing
- For electrical contacts, ignition systems, plug connections and battery terminals

#### Creeping properties



#### Lubricity



#### Moisture displacement



#### Rust-removing



#### Corrosion protection



#### Temperature resistant

-50 °C to +180 °C

500 ml | Packaging Unit: 6 | Art. No. 60091703



## High Performance Battery Grease

Always professionally grounded: this high performance grease provides excellent material protection and promotes smooth battery function.

### Areas of application

- Protects battery posts and battery terminals from oxidation.

### Special characteristics

- Improves the flow of electricity
- Prevents voltage losses and malfunctions

5 g | Packaging Unit: 25 | Art. No. 64570051



## NEW High Performance Fitting & Locking Cylinder Spray

Protection and lubrication for lock cylinders and more. Increases lifespan through strong moisture displacement.

### Areas of application

- For high performance, weather-resistant lubrication in a wide range of applications.

### Special characteristics

- Excellent adhesion and creeping properties
- Long-term corrosion protection
- Reduces friction and wear
- Eliminates squeaking noises

#### Creeping properties



#### Lubricity



#### Moisture displacement



#### Rust-removing



#### Corrosion protection



#### Temperature resistant

n/a

500 ml | Packaging Unit: 6 | Art. No. 605150



## High Performance Engine & Housing Sealant Red

Permanently elastic and heat-resistant silicone sealant.

### Areas of application

- A highly temperature-resistant specialist sealant is used in assembly and repair work on engines and various housings.

### Special characteristics

- Good chemical resistance
- No shrinkage
- Good adhesion to metal, glass, enamel, ceramic, aluminium, painted wood, etc.
- Not suitable for concrete, natural stone, lead, copper, galvanized steel, PP, PE, PTFE, bitumen substrates and insulating glass.
- Acetoxy curing

Temperature resistant  
-60 °C to +260 °C, briefly up to +300 °C

200 ml | Packaging Unit: 6 | Art. No. 690015



## High Performance Engine Sealant Black

Permanently elastic silicone sealant with outstanding chemical resistance and strong adhesion to numerous surfaces.

### Areas of application

- Seal engine parts and housings professionally and precisely.

### Special characteristics

- Permanently elastic and no shrinkage
- For sealing engines, gearboxes, oil pans, housings, containers, etc.
- Not suitable for concrete, natural stone, lead, copper, galvanized steel, PP, PE, PTFE, bitumen substrates and insulating glass.
- Acetoxy curing

Temperature resistant  
-50 °C to +180 °C

200 ml | Packaging Unit: 6 | Art. No. 690025



## High Performance Wire Rope And Gear Grease

Thanks to its graphite content, the special grease lubricates even under high loads and ensures emergency lubrication up to +450 °C.

### Areas of application

- For heavily loaded bearings, steel cables, cranes, elevators, escalators, etc.

### Special characteristics

- Graphite-containing high-pressure grease
- Prevents surface welding under high pressure
- Salt and splash water resistant
- Resistant to mild acids and alkali

### Creeping properties



### Lubricity



### Moisture displacement



### Rust-removing



### Corrosion protection



### Temperature resistant

-30 °C to +450 °C

500 ml | Packaging Unit: 6 | Art. No. 64540001



## NEW High Performance V-belt Spray

Highly adhesive spray extends the service life of various belts thanks to its special lubricating properties - effectively prevents squeaking and belt slippage.

### Areas of application

- Suitable for all types of flat ribbed belts, V-belts and conveyor belts.

### Special characteristics

- Reduces wear and cracking
- For heavily stressed drive belts of various types
- To restore lost traction
- Cleans, protects and is highly adhesive

500 ml | Packaging Unit: 6 | Art. No. 690007



## High Performance Chain Spray

This high-quality spray is the specialist for the maintenance of chains in professional use - for smooth operation and long service life.

### Areas of application

- Protection against wear, elongation and corrosion.
- For motorcycle and other high-speed drive chains.

### Special characteristics

- Fully synthetic, colourless grease
- Sling-resistant and splash-proof
- Suitable for O-, X- and Z-rings

### Creeping properties



### Lubricity



### Moisture displacement



### Rust-removing



### Corrosion protection



### Temperature resistant

-40 °C to +200 °C

500 ml | Packaging Unit: 6 | Art. No. 60628501



### High Performance Assembly And Lubricating Agent

Aid for mounting rubber seals.

#### Areas of application

- The powerful aid that saves effort: The lubricant makes the installation of window seals, convertible top seals, etc. considerably easier.

#### Special characteristics

- Colourless
- Safe for all types of plastic
- Improves the gliding of the seals.
- Leaves no greasy residue
- Readily biodegradable

Silicone-free

10 l | Packaging Unit: 1 | Art. No. 6136001



### Active Leak Detection Spray

Special formula that reliably detects gas and air leaks and is safe for seals – precise leak detection in sensitive systems.

#### Areas of application

- Leak detection for plastic and metal pipes.

#### Special characteristics

- Reliable application in all gas installation companies and testing facilities
- Harmless to seals
- Non-flammable
- Not suitable for oxygen lines
- DVGW approval according to DIN EN 14291
- Usable from -15 °C to +50 °C

400 ml | Packaging Unit: 6 | Art. No. 60320510



### Intensive Cold Spray

This versatile Cold Spray helps with the assembly of stubborn metal parts, troubleshooting, cleaning & more.

#### Areas of application

- Troubleshooting in electronic areas, monitoring of temperature sensors and motor components, shock freezing of rubber, films and sticky residues, for repair purposes in industry, etc.

#### Special characteristics

- Rapid cooling to -40 °C
- Residue-free evaporation
- Flammable
- Odourless

500 ml | Packaging Unit: 6 | Art. No. 690019



### High Performance Weld Protection

For protection against weld spatter and prevention of damage to workpieces.

#### Areas of application

- Depending on the type of welding, weld spatter is almost impossible to completely avoid. No problem, because this spray protects the workpiece and welding nozzle and makes cleaning easy.

#### Special characteristics

- Non-flammable propellant gas for safe welding in cavities
- Optimal application for electric and shielded gas welding on steel, aluminium and stainless steel

Silicone-free

400 ml | Packaging Unit: 6 | Art. No. 60308505


# Overview Spray Greases

Everything at a glance: Our spray greases compared.

Whether for bearings, joints, gears or chains – Caramba spray greases offer you targeted protection, strong lubrication and reliable performance under load. This overview lets you see at a glance which grease is ideally suited for which application.



	<b>Adhesive Lubricant</b> Art. No. 64190501	<b>Lubricating Grease With PTFE</b> Art. No. 64181601	<b>White Spray Grease</b> Art. No. 6071851	<b>Silicone Spray Grease</b> Art. No. 6074001	<b>Wire Rope And Gear Grease</b> Art. No. 64540001	<b>Chain Spray</b> Art. No. 60628501
<b>Application area</b>	For parts that are exposed to high pressures, shocks, etc.	High pressure and temperature resistance, corrosion protection, chemically resistant, dry lubrication	Lubricates and protects against corrosion, extremely fling-resistant, water-resistant, good penetrating ability, high compressive strength, good visual inspection due to white colouring	Lubrication and care of metal and plastic parts, protects against corrosion, water-repellent, oxidation-resistant, low odour, drip-proof, non-ageing	For heavily loaded bearings, steel cables, cranes, elevators, escalators, etc.	High creeping capacity, fling-off resistant and splash-proof, optimal lubrication even under high pressure, suitable for O-, X- and Z-rings
<b>Properties</b>	Highly Adhesive Lubricant with excellent lubricating performance	Odourless and neutral lubricant with PTFE	Versatile lubricant and corrosion protection for heavily stressed parts, ideal for gears, hinges, drive chains and more.	Versatile lubricant and care product with a high silicone content, ideal for roller bearings, hinges, slide rails and more.	Graphite-containing high-pressure grease providing optimal corrosion protection and long-term lubrication	Fully synthetic, colourless grease, ideally suited for (motorcycle) chains with high rotational speeds.
<b>Lubricity VKA value</b>	1700N	2400N	1400N	1000N	2100N	1900N
<b>Colour</b>	Yellowish/brown/transparent	Light brown	White	Opaque, colourless	Black	Colourless
<b>Temperature range</b>	-25 °C to +180 °C	-30 °C to +250 °C	-30 °C to +150 °C (emergency lubrication to +250 °C)	-30 °C to +200 °C	-30 °C to +450 °C	-40 °C to +200 °C
<b>Approvals</b>	-	NSF H2	-	NSF H1	-	-



# Corrosion Protection



## Prevention is better than repairs.

Rust is more than just a cosmetic flaw – it compromises functionality, weakens materials and causes expensive damage. With Caramba corrosion protection products, you're on the safe side: They reliably protect against environmental influences, moisture and wear. For everyone who thinks long-term and wants to preserve things permanently – whether for new applications or for repair and rework.

### High Performance Anti-Corrosive Primer

Strong from the ground up. Caramba's reddish-brown, rust-preventive primer offers adhesion and corrosion protection and is the ideal base for painting on steel substrates. Fast-drying, paintable and proven in professional metal construction – for long-lasting results that deliver on their promise.

- Reliably isolates the edges of sanded and filled areas
- Can be painted over with common nitrocellulose and water-based lacquers
- Corrosion protection for over 400 hours according to DIN 53167



### High Performance Zinc Spray Matte Grey

Metal protection with long-lasting effect. Caramba Zinc Spray Matte Grey reliably protects metallic surfaces thanks to its high zinc and aluminium content. The matte finish blends discreetly into the overall appearance – perfect for repairs to galvanized parts or as temporary protection during storage and transport.

- Long-lasting rust protection with filler properties
- Weldable and paintable, ideal as a primer
- Over 99% pure zinc in the dried coating
- Corrosion protection for over 1,140 h according to DIN EN ISO 9227





### High Performance Anti-Corrosive Primer

This extremely high performance, professional primer filler provides the perfect base for topcoats in the context of commercial refinish painting.

#### Areas of application

- Special rust protection primer – primer filler for repair coating.

#### Special characteristics

- Good sealing of the edge zones of sanding and filling areas
- Can be painted over with standard nitrocellulose and water-based lacquers.
- Corrosion protection > 400 h according to DIN 53167

#### Corrosion protection



#### Touch dry

approx. 15 – 20 minutes

#### Dust dry

approx. 10 – 15 minutes

#### Temperature resistant

up to **+140 °C** (short-term) up to **+80 °C** (long-term)

500 ml | Packaging Unit: 6 | Art. No. 691509



### High Performance Primer, Light Grey

Professional primer for materials from steel to aluminium, offering high efficiency through short drying times and quick recoatability.

#### Areas of application

- Light primer for protection against corrosion and weathering.
- Repair painting and surface finishing.

#### Special characteristics

- Petrol, UV and weather resistant
- Can be painted over with standard nitrocellulose and water-based lacquers.
- Corrosion protection: 192 h according to DIN 53167

#### Corrosion protection



#### Touch dry

approx. 20 minutes

#### Dust dry

approx. 10 minutes

#### Temperature resistant

up to **+200 °C** (short-term) up to **+130 °C** (long-term)

500 ml | Packaging Unit: 6 | Art. No. 6620441



### High Performance Corrosion Protection Wax

This preservative protects stored parts as well as equipment, tools and machines

#### Areas of application

- Storage and transport protection of painted and unpainted metal parts.

#### Special characteristics

- High creeping properties
- Forms an elastic film that remains flexible even in cold weather.
- Displaces moisture
- Saltwater resistant
- Removable using a Cold Cleaner and high-pressure device

Silicone-free

#### Corrosion protection



#### Temperature resistant

up to **+100 °C** (drip-resistant)

500 ml | Packaging Unit: 6 | Art. No. 6406001



### High Performance Zinc Spray Light Aluminium

This strong protection simultaneously provides the optical effect of hot-dip galvanizing and is therefore also very suitable as a final layer.

#### Areas of application

- Long-lasting rust protection for all types of metals.

#### Special characteristics

- Weldable and paintable
- Colour matched to the hot-dip galvanisation
- Corrosion protection > 144 h according to DIN EN ISO 9227

#### Corrosion protection



#### Touch dry

approx. 20 – 25 minutes

#### Dust dry

approx. 8 minutes

#### Temperature resistant

up to **+200 °C**

500 ml | Packaging Unit: 6 | Art. No. 60768505



### High Performance Zinc Spray Matte Grey

Ideal for preparing surfaces for painting and for repairing damaged galvanizing.

#### Areas of application

- Long-lasting rust protection with filler properties.

#### Special characteristics

- Weldable and paintable, ideal as a primer
- Dried coating contains over 99% pure zinc
- Suitable for repairing parts galvanized according to DIN EN ISO 1461
- Corrosion protection > 1,140 h according to DIN EN ISO 9227

#### Corrosion protection



#### Touch dry

approx. 20 – 30 minutes

#### Dust dry

approx. 8 minutes

#### Temperature resistant

up to **+500 °C**

500 ml | Packaging Unit: 6 | Art. No. 60388505

# Technical Cleaning



## Powerful cleaning, clear effect.

Where technology is operating at peak performance, contamination must not slow it down. Whether in maintenance, service or manufacturing – our high performance cleaning products remove oil, grease, dust and production residues quickly, thoroughly and gently. Caramba offers you the full range: for all requirements, for all industries, for the best results.

### High Performance Industrial Cleaner

Versatile, efficient, uncompromisingly thorough. Caramba Industrial Cleaner is the versatile, professional-grade product for machines, components and tools. With its special combination of hydrocarbons and polar organic solvents, it dissolves even stubborn residues such as oil, resin or encrustations – quickly, thoroughly and without leaving any residue. Ideal for workshops, production and maintenance.

- Quick-drying and effective without leaving residues
- Reliably removes oil, resin and encrusted dirt
- Quality tested by the Physikalisch-Technische Bundesanstalt (German National Metrology Institute)
- Free from AOX and halogenated hydrocarbons



### NEW Intensive Surface Cleaner

Cleanliness without compromise. Caramba Surface Cleaner ensures streak-free results on stainless steel, aluminium, plastic and many other materials. It reliably protects surfaces from damage – gentle in its effect, powerful in its cleaning action. It removes grease, fingerprints and dust without damaging sensitive materials.

- Gentle cleaning for metal, aluminium, wood, plastics, Plexiglass and more
- Removes flux residues, resins, nicotine and cured silicone sealants
- Ideal for bonding, sealing and painting preparations
- NSF K1 approval for use in the food processing industry



- Rust Removal, Oiling & Lubrication
- Repair & Maintenance
- Corrosion Protection
- Technical Cleaning
- Cleaning & Care
- Special Cleaners
- Industrial Cleaners
- Handcare
- Accessories



## High Performance Industrial Cleaner Containing Acetone

Combination of hydrocarbons and solvents for effective cleaning of equipment, machines & tools.

### Areas of application

- Cleans and degreases machine parts and surfaces of all kinds.

### Special characteristics

- Quick-drying
- Residue-free performance
- Removes oily stains and encrusted, resinous dirt.
- Tested by the Physikalisch-Technische Bundesanstalt (German National Metrology Institute), Braunschweig
- Lower explosion limit > 1.5 vol.-%
- Acetone-based
- Free from AOX and halogenated hydrocarbons (HCHCs, CFCs)

500 ml | Packaging Unit: 6 | Art. No. 60250001



## NEW Intensive Citrus Cleaner

Natural All-Purpose Cleaner based on orange terpenes – with a pleasant fragrance.

### Areas of application

- For cleaning and degreasing all surfaces for a wide variety of areas, e.g. workshops, manufacturing, trade and construction companies.

### Special characteristics

- Effective cleaning: Removes oily and greasy dirt residues
- Short exposure time and fast, residue-free evaporation
- Non-corrosive
- Suitable for metal, glass and most types of plastic and rubber.

500 ml | Packaging Unit: 6 | Art. No. 669950



## NEW Intensive Surface Cleaner

This gentle yet thorough cleaner cleans even the most sensitive surfaces without damaging them.

### Areas of application

- Versatile, degreasing cleaner, e.g. for adhesive and sealing surfaces or for paint preparation.

### Special characteristics

- Can be used on metal, aluminium, wood, plastics, Plexiglas and many other materials
- Removes flux residues, resins, nicotine and cured silicone sealants powerfully and quickly.
- Approval for the food processing industry (NSF K1)



500 ml | Packaging Unit: 6 | Art. No. 691050



## Intensive Brake Cleaner

Cleanliness is safety – especially when it comes to brakes. This specialist gets the job done quickly, efficiently and in no time at all.

### Areas of application

- For brakes, tools, vehicle and machine parts.

### Special characteristics

- Fast cleaning and drying
- Absolutely residue-free
- Completely degreasing
- Acetone-free – neutral to rubber, plastic and painted surfaces
- Free from AOX and halogenated hydrocarbons (CHCs, CFCs)

Silicone-free

500 ml	Packaging Unit: 15	Art. No. 6026381
5 l	Packaging Unit: 2	Art. No. 6026091
25 l	Packaging Unit: 1	Art. No. 6026101
60 l	Packaging Unit: 1	Art. No. 6026111
200 l	Packaging Unit: 1	Art. No. 60262001



## Intensive Cold Cleaner

Effective, professional-grade product that quickly and powerfully removes even stubborn contaminants from engines and more – providing the perfect foundation for clean work.

### Areas of application

- Cleaning of engines and metal parts.

### Special characteristics

- Gentle on wastewater systems and the environment
- Dissolves oil, resin and encrustations
- Rapid separation
- Optimally compatible with rubber and sealing materials
- Efficient use in mobile and stationary cleaning systems
- Free from AOX and halogenated hydrocarbons (CHCs, CFCs)

Silicone-free

500 ml	Packaging Unit: 6	Art. No. 60542803
5 l	Packaging Unit: 1	Art. No. 605450
25 l	Packaging Unit: 1	Art. No. 60542201



## High Performance Electronics Cleaner

Whenever parts such as circuit boards, plugs, relays, light bulb sockets, etc. need to be effectively cleaned of dirt that impairs their function.

### Areas of application

- Fast and reliable cleaning for electrical systems and electronic components.

### Special characteristics

- Cleans and protects components
- Evaporates without leaving any residue
- Ensures optimal contact, prevents creepage current
- Effective against hardened contact greases
- For switches, plugs, relays, circuit boards, etc.

500 ml | Packaging Unit: 6 | Art. No. 60358542



## Intensive Compressed Air Spray

For thorough dust removal and cleaning of electronic components, precision mechanics, sensitive measuring equipment, keyboards, clockworks & more.

### Areas of application

- Removes the finest dust particles from sensitive surfaces.

### Special characteristics



- Pure and dry compressed gas
- For cleaning electronic components/systems
- With 360° valve
- Stable gas pressure up to complete discharge
- Flammable
- CFC-free
- Odourless
- Solvent-free

270 ml | Packaging Unit: 6 | Art. No. 6285001

# Overview Technical Cleaners

Everything at a glance: Our technical cleaners in direct comparison.

Whether for workshop, machinery or surfaces – Caramba offers you the right cleaner for every application. Here you will find an overview of the most important features, areas of application and advantages. So that you can quickly find the right product for your needs.



	<b>Brake Cleaner</b> Art. no. 6026381	<b>Industrial Cleaner</b> Containing Acetone Art. no. 60250001	<b>Cold Cleaner</b> Art. No. 60542803	<b>Citrus Cleaner</b> Art. No. 669950	<b>Surface Cleaner</b> Art. No. 691050	<b>Electronics Cleaner</b> Art. no. 60358542	<b>Compressed Air Spray</b> Art. No. 6285001
<b>Area of application</b>	Brakes, vehicle parts	Machines, equipment, tools	Engines, metal parts	Workshop, manufacturing, construction, trade	Preparation before paint, adhesives, food processing equipment	Switches, circuit boards, connectors, relays	Electronics, measurement technology, optics
<b>Special features</b>	Fast drying, silicone and acetone-free, paint-friendly	Removes oils, greases, soot, emulsions, contains acetone (can damage rubber and paint)	Low in aromatics, separates quickly, does not emulsify, AOX-free	Orange terpenes, non-corrosive, evaporates without residue	K1-NSF certified, removes resins, fluxes, silicone residues, gentle on materials	Residue-free, acetone-free, resin-dissolving	Dry gas, 360 ° sprayable, solvent-free, non-electrically conductive
<b>Material compatibility</b>	Does not attack rubber, plastic & paint	Attacks sensitive materials, therefore caution is necessary.	Do not apply to hot parts, separator system required	Test sensitive surfaces beforehand	Extremely gentle on materials: suitable for almost all materials, including plastics	Do not spray on winding insulation.	Very suitable for sensitive electronics
<b>Odour</b>	Petrol-like	Solvent-like	Kerosene-like	Orange	Solvent-like	Petrol-like	Odourless

# Cleaning & Care



## Care that convinces – Cleaning that lasts.

If it needs to be not just clean, but thoroughly maintained, then we come into play. Our products ensure streak-free results, radiant surfaces and sustainable value retention. From vehicles to workshops, from glass to plastic – our solutions clean thoroughly, maintain effectively and make the difference visible. For professionals who pay attention to first impressions and long-term impact.

### Intensive Magic Wonder Instant Shine

More shine in seconds. Caramba Magic Wonder gives paints, plastics and metals a brilliant shine in no time – without any need for further polishing. Simply spray on, wipe off, done. The perfect finishing touch to any vehicle care routine for an impressive finish with long-lasting protection.

- Cares for, cleans and protects in one step without pre-cleaning
- Ensures an optimal glossy finish
- Protective effect for several months
- Suitable for paint, chrome, plastic and other smooth surfaces



### Active Foam Cleaner

Strong adhesion, deep penetration, versatile. The Caramba Foam Cleaner adheres even to vertical surfaces and reliably removes dirt, grease and nicotine residue. Whether glass, plastic, upholstery or smooth leather – this all-rounder ensures deep pore cleaning and impresses in professional vehicle detailing as well as in everyday life.

- Ideal for automotive workshops and industry
- Suitable for all washable surfaces
- Removes stubborn dirt reliably
- Gentle on materials yet thorough



Rust Removal,  
Oiling & Lubrication

Repair &  
Maintenance

Corrosion  
Protection

Technical  
Cleaning

Cleaning  
& Care

Special Cleaners

Industrial Cleaners

Handcare

Accessories



### Intensive Magic Wonder Sofort Glanz

Amazingly easy to achieve brilliant results with a protective effect – works wonders on smooth surfaces.

#### Areas of application

- Cleaning and refinement of smooth surfaces.

#### Special characteristics

- It cares for, cleans and protects in one step without pre-cleaning.
- Optimal glossy finish
- Protective effect for months
- Applicable to paint, chrome, plastic, etc.
- Do not apply to textured surfaces.
- Contains silicone

400 ml | Packaging Unit: 6 | Art. No. 6311161



### Active Rim Cleaner

This powerful cleaning foam makes even heavily soiled rims shine again in no time.

#### Areas of application

- Suitable for all aluminium, steel and chrome rims and rims with a painted surface.

#### Special characteristics

- Removes even the most extreme soiling such as brake dust, road salt deposits, etc.
- Active cleaning with colour-changing effect
- Acid-free and pH-neutral, harmless to brake discs, paint, rubber and plastics.

500 ml | Packaging Unit: 6 | Art. No. 6270064  
10 l | Packaging Unit: 1 | Art. No. 6270051



### Active Foam Cleaner

Plastic, upholstery and smooth leather are cleaned and conditioned quickly – this specialist cleaning product fully demonstrates its strengths in professional vehicle detailing.

#### Areas of application

- Highly effective cleaning foam for the vehicle interior.

#### Special characteristics

- Ideal for reconditioning
- Applicable to all washable surfaces
- Removes stubborn dirt
- Completely gentle on materials
- Biodegradable

500 ml | Packaging Units: 6 | Art. No. 64010601



### Intensive Stainless Steel Cleaner

Cleanliness, conditioning, shine and protection against tarnishing – for visible and lasting effects.

#### Areas of application

- Cleaning and protection for all metal surfaces indoors and outdoors.

#### Special characteristics

- Removes dirt, limescale, rust, grease, oils and resins.
- Protects against dirt and tarnishing
- Effective on stainless steel, aluminium, copper and brass
- Not for use on highly polished surfaces
- Antistatic and conditioning
- Approved for use in the food processing industry (NSF A7)



Silicone-free

500 ml | Packaging Unit: 6 | Art. No. 63308401  
5 l | Packaging Unit: 2 | Art. No. 63308501



### Intensive Glass Cleaning Foam

Anyone who wants to achieve clean, streak-free glass surfaces quickly and effortlessly should use this professional foam.

#### Areas of application

- Interior and exterior cleaning of glass and all smooth surfaces.

#### Special characteristics

- Effective against insects, streaks and deposits
- Removes stubborn dirt and organic residues
- Reduces window fogging

500 ml | Packaging Unit: 6 | Art. No. 6290305



### Intensive Cockpit Care Silicone-free

Gentle cleaning and sustainable cleanliness: the antistatic effect ensures that dust particles are kept at a constant distance.

#### Areas of application

- Cleaning, protection and care of plastic parts and smooth leather in the vehicle interior.

#### Special characteristics

- Suitable for paint shops
- Antistatic effect
- Removes grey film
- Matte surfaces remain matte.
- Contains high-quality plant-based wax components that form a nourishing protective film.

Silicone-free

500 ml | Packaging Unit: 6 | Art. No. 61310001



### Intensive Cockpit Care With Silicone

This effective cleaning and care emulsion protects against fading caused by sun exposure and is therefore also ideal for convertibles.

#### Areas of application

- Cleaning, colour restoration and care of plastic parts and smooth leather in the vehicle interior.

#### Special characteristics

- It has antistatic and dirt-repellent properties.
- With UV protection against fading
- Particularly gentle cleaning thanks to water-based foam
- Contains silicone

500 ml | Packaging Unit: 6 | Art. No. 6161051

Rust Removal,  
Oiling & Lubrication

Repair &  
Maintenance

Corrosion  
Protection

Technical  
Cleaning

Cleaning  
& Care

Special Cleaners

Industrial Cleaners

Handcare

Accessories

39


# Overview Cleaners & Care Products

Everything at a glance: Our cleaning and care products.

Whether for workshops, machinery or large areas – Caramba offers you the right solution for every professional application. This overview provides you with the most important product features, areas of application and benefits at a glance.



	<b>Foam Cleaner</b> Art. No. 64010601	<b>Glass Cleaning Foam</b> Art. No. 6290305	<b>Cockpit Care With Silicone</b> Art. No. 6161051	<b>Cockpit Care Silicone-free</b> Art. No. 61310001	<b>Magic Wonder Instant Shine</b> Art. No. 6311161	<b>Rim Cleaner</b> Art. No. 6270064	<b>Stainless Steel Cleaner</b> Art. No. 63308401
<b>Area of application</b>	Interior: Plastic, leather, upholstery, glass	Glass & smooth surfaces inside/outside	Plastic & smooth leather for a matte finish	Plastic, leather, for a matte finish	Smooth surfaces (paint, plastic)	Rims (steel, aluminium, chrome, painted)	Stainless steel, aluminium, copper, brass
<b>Special features</b>	Biodegradable, highly adhesive foam for vertical surfaces	Removes smears, insects and organic residues without leaving streaks	UV protection, antistatic, eliminates greying	Plant-based, wax-based, nourishing, antistatic	Cleaning and polishing in one, silicone-based, months of protection according to DEKRA	Colour change indicates effect acid-free, powerful against brake dust	Antistatic, NSF A7 certified, protects against tarnishing
<b>Material-compatibility</b>	Not suitable for suede, plexiglass, polycarbonate	No plexiglass, preliminary testing recommended	Not on the steering wheel, pedals or glass instruments.	Not on the steering wheel, pedals or glass instruments.	Suitable for all smooth surfaces	Compatible with paint, rubber, brake discs	Not for use on high-gloss surfaces, not for contact with food
<b>Odour</b>	Citrus-like	Citrus/light ammoniacal	Pleasantly fresh	Characteristic	Product-specific	Product-specific	Solvent-like



Rust Removal, Oiling & Lubrication

Repair & Maintenance

Corrosion Protection

Technical Cleaning

Cleaning & Care

Special Cleaners

Industrial Cleaners

Handcare

Accessories

# Special Cleaners



## Special cases? We can handle them.

Some types of soiling require special solutions. Adhesive residues, sealants, resin or oil stains cannot be easily removed with standard methods – specialists are needed here. Caramba offers a professional portfolio that works in a targeted manner, protects surfaces and makes work easier. For clean results in difficult tasks – precise, efficient, uncompromising.



### Active Oil Stain Remover

When something oily spills, this helper comes into play: easy to use, professional in effect.

#### Areas of application

- For removing oil stains, heating oil and diesel fuel from car parks, driveways and garage floors.

#### Special characteristics

- For all absorbent and non-absorbent surfaces
- Suitable for natural and concrete stone, clay and pumice stone, screed, clinker, ceramic and textile floor coverings
- Good adhesion and strong performance
- Do not use on bitumen, asphalt and slate.
- Apply to dry surfaces

1 l | Packaging Unit: 6 | Art. No. 606801



### High Performance Special Solvent

From adhesive labels to tree resin: This top specialist saves tedious work and solves sticky cases with ease.

#### Areas of application

- Residue-free removal of stubborn dirt.

#### Special characteristics

- Removes stickers, adhesive residue, paint stains, etc. from hard, non-absorbent, smooth surfaces.
- Residue-free effect
- Approval for the food processing industry (NSF K3)



500 ml | Packaging Unit: 6 | Art. No. 66140704



### NEW High Performance Adhesive & Sealant Remover

Highly efficient removal of adhesives and sealants.


#### Areas of application

- Suitable for use in the automotive industry, electronics industry, the construction/craft sector and for maintenance.

#### Special characteristics

- Very strong cleaning performance without damaging the surface
- Dissolves hardened sealants in under 15 minutes
- For all types of adhesive residue and sealant residue
- Removes paints, varnishes and carbon deposits (e.g. on valve seats, cylinder heads and metallic engine parts)

500 ml | Packaging Unit: 6 | Art. No. 690008



Rust Removal, Oiling & Lubrication

Repair & Maintenance

Corrosion Protection

Technical Cleaning

Cleaning & Care

Special Cleaner

Industrial Cleaners

Handcare

Accessories

# Industrial Cleaners



## If it becomes widespread or particularly persistent.

In factory halls, production facilities or workshops, cleaners are needed that do more: powerful, economical and safe to use. Caramba commercial and industrial cleaners specialise in cleaning oil-smearred floors, machine housings and heavily used work areas. For clean processes and safe working environments.

### Multi 2000

The all-rounder for commercial use and workshops. Whether machines, floors or surfaces – Caramba Multi 2000 is the all-round professional among cleaners. With its high grease-dissolving power and wide range of applications, it removes stubborn dirt quickly and without leaving any residue. Ideal for daily use in manufacturing, agriculture or the workshop – tough on oil, grease and soot, gentle on surfaces.

- Universally applicable heavy-duty cleaner for spray and high-pressure cleaning
- Effective against grease, soot and oil
- For vehicles, machines, tarpaulins, floors, underfloors and agricultural machinery



### TG 22

The specialist product for large areas and machine housings. When large areas need to be cleaned, the Caramba TG 22 really shines. The highly concentrated cleaner is ideal for hall floors, workshop surfaces and machine covers. It removes even stubborn, encrusted dirt quickly, safely and economically – perfect for professional use.

- Highly effective cleaner for large-area applications
- Reliably removes even heavy industrial dirt
- Ideal for hall floors, workshop areas and machine housings





### Intensive Tile and Hall Cleaner / Limescale Remover

Strongly acidic cleaning concentrate based on hydrochloric acid for thorough cleaning.

#### Areas of application

- Suitable for cleaning industrial halls and tiles.

#### Special characteristics

- Easily removes limescale and oil stains
- Biodegradable according to OECD standard. Wastewater can be discharged into the sewer system via a coalescing/light fluid separator
- Equipped with an active corrosion protection inhibitor to minimise attacks on metals
- Extremely adhesive and fling-resistant
- Hot and cold water resistant
- Metal-free, non-electrically conductive

5 l | Packaging Unit: 1 | Art. No. 5281050



### Findusin Wash Bay Cleaner

This powerful special cleaner ensures hygienic cleanliness in wet areas and reliably removes limescale, rust and algae deposits – completely without aggressive acids.

#### Areas of application

- Ideal for the regular care and cleaning of wet areas. Especially suitable for areas where gentle yet effective cleaning is required.

#### Special characteristics

- For cleaning vehicle wash tunnels, wash bays and other wet areas
- Against limescale, rust and algae growth
- Without hydrofluoric or hydrochloric acid

25 l | Packaging Unit: 1 | Art. No. 8213780025



### Rak 2000

This powerful cleaning agent effectively removes deposits and ensures sparkling cleanliness in moisture-prone areas.

#### Areas of application

- Ideal for cleaning in high-moisture areas such as saunas, bathrooms and sanitary facilities. Especially suitable for tiles, flagstones and stone slabs to effectively remove limescale deposits and ensure shiny surfaces.

#### Special characteristics

- Strongly acidic against limescale deposits
- For tiles, flagstones, stone slabs
- Suitable for use in sauna or sanitary areas

10 l | Packaging Unit: 1 | Art. No. 8434700010



### Raccoon 111

This powerful cleaner effectively removes limescale, oil and rust and is suitable for demanding cleaning tasks.

#### Areas of application

- Ideal for thorough cleaning in industrial and commercial areas where limescale, oil and surface rust need to be removed.

#### Special characteristics

- For tiles, washrooms, plastic partition walls and tank containers
- Strongly acidic against limescale and oil contamination
- Suitable for cleaning the chassis of trucks and removing surface rust.

25 l | Packaging Unit: 1 | Art. No. 8212040025



### Intensive All-Purpose Cleaner

For a wide variety of cleaning tasks in industrial plants of all kinds: When effectiveness and economy count, the powerful All-Purpose Cleaner is the ideal choice.

#### Areas of application

- Thorough and gentle cleaning of buildings, commercial kitchens, vehicles and industrial facilities.

#### Special characteristics

- Removes even stubborn dirt such as oil, grease, nicotine, soot, wax, soap, ink, insects, etc.
- Can be applied manually or by machine
- Biodegradable
- Approval for the food processing industry (NSF C1)



Silicone-free

10 l | Packaging Unit: 1 | Art. No. 6901310

25 l | Packaging Unit: 1 | Art. No. 6901021



### Industrial Combination Cleaner

This versatile cleaner effortlessly removes even stubborn grease and is ideal for manual as well as machine applications.

#### Areas of application

- Ideal for use in workshops, industrial plants and food processing facilities where stubborn grease stains need to be removed. Especially suitable for manual cleaning, high-pressure processes as well as immersion and ultrasonic baths.

#### Special characteristics

- Strong grease-cutting power
- For manual or high-pressure cleaning
- Suitable for immersion and ultrasonic baths

25 l | Packaging Unit: 1 | Art. No. 8342210025



## Intensive Workshop Cleaner

Oil, grease & much more: this specialist reliably & quickly tackles typical contaminants in workshops.

### Areas of application

- Thorough cleaning of halls, floors and facilities.

### Special characteristics

- Concentrate 1:4 to 1:33
- Excellent oil, grease and dirt removal power
- Environmentally friendly, biodegradable in accordance with the RVO on the Detergents and Cleaning Agents Act
- Can be applied manually or by machine
- Demulsifying (separation of oil and fat occurs automatically)

Silicone-free

5 l | Packaging Unit: 1 | Art. No. 5447060  
 25 l | Packaging Unit: 1 | Art. No. 5447252



## Intensive Machine And Parts Cleaner

Cleanliness of machines and components is important for function and efficiency. This special cleaner creates the basis for professional maintenance.

### Areas of application

- Cleaning of machines, engines, tarpaulins, chassis, underbodies, etc.

### Special characteristics

- Concentrate 1:50
- High dirt-dissolving capacity
- Removes oil, grease and other stubborn dirt
- Suitable for spray and high-pressure methods



Silicone-free

10 l | Packaging Unit: 1 | Art. No. 6910101



## Multi 2000

Universally applicable heavy-duty cleaner for spray and high-pressure cleaners.

### Areas of application

- Ideal for the thorough cleaning of vehicles, machinery and floors in industry, agriculture and commerce. Especially suitable for use with spray and high-pressure cleaners for the effective removal of grease, soot and oil.

### Special characteristics

- Universal cleaner for spray and high-pressure cleaning
- For trucks, tarpaulins, floors, underbodies, agricultural machinery and much more
- Effective against grease, soot, oil

10 l | Packaging Unit: 1 | Art. No. 8212340010  
 25 l | Packaging Unit: 1 | Art. No. 8212340025



## TG 22

This special care product protects and gives smooth surfaces of cars and aircraft a shiny, easy-care protective finish.

### Areas of application

- Ideal for the care and protection of smooth surfaces in the automotive and aerospace industries. Especially suitable for cars and aircraft to ensure an easy-care and glossy surface.

### Special characteristics

- For smooth, water-resistant surfaces
- Suitable for cars and aircraft

1 l | Packaging Unit: 10 | Art. No. 8333730001  
 10 l | Packaging Unit: 1 | Art. No. 8333730010  
 210 l | Packaging Unit: 1 | Art. No. 8333730080



## Cleanmat

Alkaline, low-foaming, reddish intensive cleaner.

### Areas of application

- Thorough cleaning of floors in the industrial sector – whether treated or untreated, as well as tiles.

### Special characteristics

- For all types of soiling
- For coated and uncoated floors
- Highly concentrated
- Highly effective; removes dirt quickly, safely and thoroughly
- With very good dirt-carrying capacity
- Highly concentrated, highly dilutable and very economical in use
- NTA-free



10 l | Packaging Unit: 1 | Art. No. 8212300010  
 25 l | Packaging Unit: 1 | Art. No. 8212300025  
 1000 l | Packaging Unit: 1 | Art. No. 8212300085



## Cleanmat Forte

This highly effective cleaner removes even stubborn dirt and is ideal for a wide variety of floor coverings.

### Areas of application

- Ideal for the thorough cleaning of various floor coverings in commercial, industrial and domestic areas. Especially suitable for high-traffic areas that require effective dirt removal.

### Special characteristics

- For all types of dirt
- For coated and uncoated floors
- Highly concentrated

10 l | Packaging Unit: 1 | Art. No. 8343250010



## Glass Cleaner

This versatile cleaner ensures effortless and streak-free cleaning on a wide variety of hard surfaces.

### Areas of application

- Ideal for the quick and effective cleaning of a wide variety of smooth surfaces where streak-free cleanliness is required. Particularly suitable for use in homes, offices and commercial areas.

### Special characteristics

- Removes dust, grease and other dirt
- For hard surfaces such as windows, window frames, Resopal surfaces or painted surfaces
- Quickly evaporates

10 l | Packaging Unit: 1 | Art. No. 8426580010



## Eco-Clean GSM Rinse Aid

This powerful rinse aid ensures a streak-free shine and supports residue-free drying on a wide variety of materials.

### Areas of application

- Ideal for use in commercial and private dishwashers to leave dishes, cutlery and glasses sparkling clean and dry. Especially suitable for environments where streak-free shine and fast drying are required.

### Special characteristics

- Liquid rinse aid with shine-drying effect
- Removes and prevents limescale deposits
- For glass, porcelain and metal

10 l | Packaging Unit: 1 | Art. No. 8415510010



## Eco-Clean GSM Cleaner, Chlorine-free

This powerful cleaner reliably removes residues and ensures gentle, streak-free cleaning of stainless steel surfaces.

### Areas of application

- Ideal for use in catering commercial kitchens and food processing plants where stainless steel surfaces need to be thoroughly and completely cleaned. For the efficient care of cooking and work utensils.

### Special characteristics

- For cleaning machinery or use in immersion bath
- Quickly removes all residues without leaving streaks
- Cleans pots, appliances, trays and dishes made of stainless steel.

10 l | Packaging Unit: 1 | Art. No. 8415480010



## PE Cleaner

Cleaning of welded joints made of PP/PE/PB-PVDF. Certified according to DVGW VP603.

### Areas of application

- Ideal for preparing plastic pipes for reliable welding connections. Especially suitable for applications where thorough cleaning and degreasing of smooth plastic surfaces is required.

### Special characteristics

- For welding plastic pipes
- Cleans and degreases
- For smooth surfaces such as plastic

1 l | Packaging Unit: 10 | Art. No. 8425510001



## Tegeblitz Super

Aromatics-free specialised dewaxer and Cold Cleaner.

### Areas of application

- Removal of grease and oil residues from metal parts and painted surfaces, both manually and mechanically; dewaxing of, for example, new vehicles.

### Special characteristics

- Clear, transparent liquid
- Aromatics-free and low-odour during use
- Frost-resistant and practically unlimited shelf life

210 l | Packaging Unit: 1 | Art. No. 8222540080



## Betonol 100

Its powerful formula, removes even stubborn residues and gently cares for delicate surfaces.

### Areas of application

- Ideal for cleaning surfaces that need to be freed from concrete and limescale residue. Particularly suitable for use in construction and industrial environments that require thorough yet gentle cleaning.

### Special characteristics

- Removes fresh concrete and limescale
- Protects against corrosion
- For acid-resistant surfaces only

25 l | Packaging Unit: 1 | Art. No. 8364610025



## TG 540 Smoke Resin Remover

This powerful cleaner removes even stubborn smoke resin encrustation and ensures hygienic cleanliness in grill and smoke chambers as well as convection ovens.

### Areas of application

- For catering establishments. Especially suitable for removing stubborn smoke resin encrustation ensuring hygienic cleanliness.

### Special characteristics











- Cleaning of grill and smoking chambers as well as convection ovens
- Removes smoke resin encrustation

10 l | Packaging Unit: 1 | Art. No. 8424380010

# Overview Industrial Cleaners

Everything at a glance: Our cleaners for workshop, factory and commercial use.

From oily floors to heavily soiled machines – here you'll find the right Caramba cleaners for large-scale or particularly demanding applications. The table shows you which product excels in which challenges – quickly comparable, directly applicable.










	 <b>TG 22</b> Art. No. 8333730010	 <b>Multi 2000</b> Art. No. 8212340010	 <b>Machine And Parts Cleaner</b> Art. No. 6910101	 <b>Workshop Cleaner</b> Art. No. 5447060	 <b>Industrial Combination Cleaner</b> Art. No. 8342210025
<b>pH value (conc.)</b>	approx. 11.2	13.4	approx. 13	11.6 - 12.4	approx. 13.5
<b>Area of application</b>	Manufacturing, aircraft, vehicles, commercial kitchens, fire damage	Trucks, tarpaulins, workshops, machines	Workshop, commercial vehicles, machinery, warehouse	Cleaning of halls, floors and commercial premises	Machinery, manufacturing, food sectors
<b>Special features</b>	NSF C1 certified, gentle on materials, very wide range of applications	Universal heavy-duty cleaner, phosphate-free, highly concentrated	Frost-resistant, formaldehyde-free, biodegradable	Self-demulsifying, NTA-free	For immersion and ultrasonic baths, grease-dissolving, highly concentrated
<b>Instructions for use</b>	Dilute 1:5-1:50, do not allow to dry, preliminary test recommended*	Can be used neat or diluted up to 1:50, do not allow to dry*	Dilute up to 1:50, do not allow to dry on glass/ painted surfaces*	Use only on alkali-resistant surfaces*	Do not allow to dry on paint, light metals and glass.*
	 <b>Raccoon 111</b> Art. No. 8212040025	 <b>Rak 2000</b> Art. No. 8434700010	 <b>Findusin Wash Bay Cleaner</b> Art. No. 8213780025	 <b>Tile And Hall Cleaner / Limescale Remover</b> Art. No. 5281050	 <b>All-Purpose Cleaner</b> Art. No. 6901310
<b>pH value (conc.)</b>	< 0.2	< 0.2	approx. 0,2	< 0.5	11,3
<b>Area of application</b>	Car wash bays, tiles, rims, tank containers	Sanitary facilities, swimming pools, tiles, flagstones	Car wash bays, wet areas, soap residue, algae	Tiles, halls, wash bays	Indoors & outdoors, kitchens, vehicles, buildings
<b>Special features</b>	Strongly acidic, also effective on surface rust and baked-on brake dust	Strongly acidic, salt and phosphoric acid-based	Free of salt and hydrofluoric acid, very economical, easy to separate	Strongly acidic (hydrochloric acid base), biodegradable	NSF C1 certified, phosphate-free, versatile
<b>Instructions for use</b>	Dilution depending on application area 1:2-1:30, avoid sensitive surfaces*	Avoid aluminium, enamel and chrome-plated surfaces.	Dilution 1:3-1:20, can also be used as a concentrate*	For use on acid-resistant surfaces only, do not allow to dry	Dilute 1:5 to 1:50, avoid contact with food

\*Suitable for use in high-pressure cleaners.

# Overview Industrial Cleaners

Everything at a glance: Our cleaners for workshop, factory and commercial use.

From oily floors to heavily soiled machines – here you will find the right Caramba cleaners for large-scale or particularly demanding applications. The table shows you which product excels in which challenges – quickly comparable, directly applicable.

	 <b>Betonol 100</b> Art. No. 8364610025	 <b>TG 540 Smoke Resin Remover</b> Art. No. 8424380010	 <b>Tegeblitz Super</b> Art. No. 8222540080	 <b>PE Cleaner</b> Art. No. 8425510001	
<b>pH value (conc.)</b>	0.1	approx. 13.8	-	-	
<b>Area of application</b>	Concrete debris, mixing technology, stone	Grill & smokehouses	New car wax removal, oil & grease residue	Plastic pipes before welding	
<b>Special features</b>	Highly acidic, with corrosion protection, not for sensitive metals	Highly alkaline, extremely effective cleaner, do not allow to dry	Free from aromatics, easy to separate, suitable for hot water	99% ethanol, residue-free, DVGW-certified	
<b>Instructions for use</b>	Use diluted 1:1–1:4 or neat	1:2–1:3 dilution, a preliminary test on metals is recommended	Undiluted, do not mix with surfactant-containing wastewater.	Apply with a fresh paper towel.	
	 <b>GSM Rinse Aid</b> Art. No. 8415510010	 <b>GSM Cleaner, Chlorine-free</b> Art. No. 8415480010	 <b>Glass Cleaner</b> Art. No. 8426580001	 <b>Cleanmat</b> Art. No. 8212300010	 <b>Cleanmat Forte</b> Art. No. 8343250010
<b>pH value (conc.)</b>	approx. 2,2	approx. 13,9	11,5	approx. 13,2	approx. 14
<b>Area of application</b>	Dishwashers	Porcelain, stainless steel, plastic	Glass surfaces, plastic, Resopal	Floor cleaning in manufacturing and food sectors (cleaning machines)	Manufacturing, floors, cleaning machines
<b>Special features</b>	Limescale-free, fast shine, low foaming	Chlorine-free, lime-binding, odour-free, low-foaming	Residue-free, contains alcohol and ammonia	Low-foaming automatic cleaner, highly dilutable, removes rubber and metal abrasion, biodegradable	For heavy soiling, highly alkaline
<b>Instructions for use</b>	Via dispenser as per manufacturer's instructions	0.5–6 g/l, depending on water hardness	Spray directly, wipe off, no rinsing required	0.5–5% solution depending on the degree of contamination; preliminary testing recommended.	0.5–5% solution, Preliminary test recommended

# Handcare



## Clean hands, healthy skin.

Where hard work is done, reliable skin protection is essential. The Caramba Handcare programme offers suitable products for cleaning, care and protection – tailored to the challenges in workshop, production and service. Whether light soiling or a heavy oil film, our hand cleaners are skin-friendly, effective and economical in use.



### Hand Clean Medium Hand cleaner

Spotlessly clean in no time.

#### Areas of application

- Effective against medium to heavy soiling caused by oils, greases, dust, soot, printing inks, etc.

500 ml | Packaging Unit: 10 | Art. No. 693405  
10 l | Packaging Unit: 1 | Art. No. 6980510



### Hand Clean Strong Hand cleaner

Heavy soiling quickly removed.

#### Areas of application

- Effective against heavy soiling from oils, greases, lubricants, dusts, graphite, soot, printing inks, etc.

1 l | Packaging Unit: 10 | Art. No. 8114030001  
3 l | Packaging Unit: 6 | Art. No. 8114030003  
10 l | Packaging Unit: 1 | Art. No. 8114030010



### Hand Clean Soap Hand soap

Mild hand cleansing lotion with moisturising properties.

#### Areas of application

- For light hand dirt, e.g. in maintenance warehousing, etc.

10 l | Packaging Unit: 1 | Art. No. 8114010010



### Hand Clean Extra Strong Hand cleaner

Particularly heavy soiling is no longer a problem.

#### Areas of application

- For use against extremely heavy soiling caused by lacquers (2K lacquers), paints, adhesives, PU foams, resins (epoxy resins), oils, greases, lubricants, etc.

3 l | Packaging Unit: 6 | Art. No. 8114040003  
10 l | Packaging Unit: 1 | Art. No. 8114040010



### Soft Bottle Dispenser 1L & 2L With plastic handle

Maximum hygiene through minimised risk of contamination and germ formation by the product, because direct contact between dispenser and product is avoided.

**Dimensions:**  
H x W x D in mm: 335 x 127 x 130

Art. No. 8634791000



### Soft Bottle Dispenser 1L & 2L With metal handle

Maximum hygiene through minimised risk of contamination and germ formation by the product, because direct contact between dispenser and product is avoided.

**Dimensions:**  
H x W x D in mm: 289 x 125 x 128

Art. No. 8634891000



### Pump Dispenser For 3L Cans With wall bracket

**Dispenser dimensions:**  
Ø: 128 mm

**Wall bracket dimensions:**  
H x W x D in mm: 226 x 162 x 166

Art. No. 8635061000



### Pump Dispenser For 10L Buckets Suitable for all 10L buckets

**Dimensions:**  
Ø 264 mm

Art. No. 8635081000



# Accessories



## Practical helpers for everyday professional use.

Sometimes, to ensure our products reach their full potential, we need the right tools. Caramba accessories make application even easier, cleaner and more efficient – from pump sprayers to pouring taps. For precise dosing, improved ergonomics and safer handling.



### Pouring Tap For Plastic Canisters

Suitable for 5 l and 10 l (DIN 51), 25 l (DIN 61) and 60 l (DIN 71)

For 5-litre and 10-litre canisters	Packaging Unit: 1	Art. No. 689602
For 25-litre canisters	Packaging Unit: 1	Art. No. 1530021
For 60-litre canisters	Packaging Unit: 1	Art. No. 689601



### Pouring Tap For Metal Drums

3/4": Suitable for 60-litre and 200-litre metal drums

For 60-litre and 200-litre barrels	Packaging Unit: 1	Art. No. 15313003
------------------------------------	-------------------	-------------------



### Pump Sprayer 1 Litre

Pressure pump sprayer for Caramba All-Purpose Cleaner, Brake Cleaner and wheel cleaner

- For ready-to-use solution
- No content

For All-Purpose Cleaners	Packaging Unit: 1	Art. No. 69320304
For Brake Cleaner (acetone-free)	Packaging Unit: 1	Art. No. 69320104
For wheel cleaner	Packaging Unit: 1	Art. No. 69320204



# Caramba Professional Line

## For professionals. From professionals.

### Brand & Trust

For over 120 years, Caramba has stood for chemical-technical products trusted by professionals. Our brand is firmly established in workshops, production halls and among all those who ensure that things run smoothly – not as a promise, but as a lived reality. This trust is the result of decades of practical experience, reliability and an uncompromising understanding of quality. Choosing Caramba means choosing experience, partnership and responsibility.

### Performance & Efficiency

The Caramba Professional Line is precisely tailored to the requirements of everyday professional, commercial use. Our products impress with their technical effectiveness, stable quality and high efficiency in use. Each formula is designed to achieve maximum effect with minimal effort – whether cleaning, lubrication or corrosion protection. This means less downtime, more productivity and reliable results – at all times.

### Professional products for professional use – Made in Germany

We develop our products with professionals for professionals – in close collaboration with users from industry and trade. The Caramba Professional Line is manufactured exclusively in certified production facilities according to our own formulas and is subject to the strictest quality standards. This is true German quality: reliable, precise, certified safe. Because professional work deserves professional products – without compromise.

## Index A-Z

### A

Adhesive & Sealant Remover 43  
 Adhesive Lubricant 17  
 All-Purpose Cleaner 47  
 Anti-Corrosive Primer 28  
 Assembly And Lubricating Agent 22

### B

Battery Grease 19  
 Betonol 100 51  
 Brake Cleaner 33  
 Brake Service Spray 18

### C

Ceramic Paste 16  
 Chain Spray 21  
 Citrus Cleaner 32  
 Cleanmat 49  
 Cleanmat Forte 49  
 Cockpit Care Silicone-free 39  
 Cockpit Care With Silicone 39  
 Cold Cleaner 32  
 Cold Spray 23  
 Compressed Air Spray 33  
 Contact Spray 19  
 Copper Paste 17  
 Copper Spray 17  
 Corrosion Protection Wax 29

### D

Drilling And Cutting Oil 9

### E

Electronics Cleaner 33  
 Engine & Housing Sealant Red 20  
 Engine Sealant Black 20

### F

Findusin Wash Bay Cleaner 46  
 Fine Mechanics Oil 8  
 Fitting & Locking Cylinder Spray 19  
 Foam Cleaner 39

### G

Glass Cleaner 50  
 Glass Cleaning Foam 38  
 Graphite Oil 7  
 GSM Cleaner, Chlorine-free 51  
 GSM Rinse Aid 50

### H

Hand Clean Extra Strong 57  
 Hand Clean Medium 57  
 Hand Clean Soap 57  
 Hand Clean Strong 57

### I

Ice Rust Remover 6  
 Industrial Cleaner Containing Acetone 32  
 Industrial Combination Cleaner 47  
 Injector Special Solvent 7

### L

Leak Detection Spray 22  
 Lubricating Grease With PTFE 16

### M

Machine And Parts Cleaner 48  
 Magic Wonder Instant Shine 38  
 Multi 2000 49  
 Multi-function Spray 8

### O

Oil Stain Remover 43

### P

PE Cleaner 51  
 Pouring Tap For Metal Drums 61  
 Pouring Tap For Plastic Canisters 61  
 Primer, Light Grey 28  
 PTFE Spray 9  
 Pump Dispenser For 10L Buckets 59  
 Pump Dispenser For 3L Cans 59  
 Pump Sprayer 1 Litre 61

### R

Raccoon 111 47  
 Rak 2000 47  
 Rust Remover Rasant 6  
 Rim Cleaner 38  
 Rust Remover MoS<sub>2</sub> 7

### S

Silicone Spray 8  
 Silicone Spray Grease 17  
 Soft Bottle Dispenser 1L & 2L 58  
 Special Solvent 43  
 Stainless Steel Cleaner 38  
 Surface Cleaner 33

### T

Tegeblitz Super 50  
 TG 22 49  
 TG 540 Smoke Resin Remover 51  
 Throttle Valve And Intake Cleaner 18  
 Tile And Hall Cleaner / Limescale Remover 46

### U

Universal Spray H1 8

### V

V-belt Spray 21

### W

Weld Protection 23  
 White Spray Grease 16  
 Wire Rope And Gear Grease 21  
 Workshop Cleaner 48

### Z

Zinc Spray Light Aluminium 29  
 Zinc Spray Matte Grey 29



**Caramba GmbH**  
Düsseldorfer Landstrasse 17  
D-47249 Duisburg

Tel. +49 203 668815-0  
info@caramba.de

[www.caramba.de](http://www.caramba.de)

     
@carambachemie

